

## 高度研究機器部門 設置機器を使用して発表された論文リスト

2015～2019

### フローサイトメーター (FACS Canto II)

#### 論文

1. Wahiduzzaman M, Ota A, Hosokawa Y. Novel mechanistic insights into the anti-cancer mode of arsenic trioxide. *Curr Cancer Drug Targets.* **2019**, in press.
2. Wahiduzzaman M, Karnan S, Ota A, Hanamura I, Murakami H, Inoko A, Rahman ML, Hyodo T, Konishi H, Tsuzuki S, Hosokawa Y. Establishment and characterization of CRISPR/Cas9-mediated NF2(-/-) human mesothelial cell line: Molecular insight into fibroblast growth factor receptor 2 in malignant pleural mesothelioma. *Cancer Sci.* **2019** Jan;110(1):180-193.
3. Hyodo T, Rahman ML, Karnan S, Ito T, Toyoda A, Ota A, Wahiduzzaman M, Tsuzuki S, Okada Y, Hosokawa Y, Konishi H. Tandem paired nicking promotes precise genome editing with scarce interference by p53. *bioRxiv,* **2019.** doi: <https://doi.org/10.1101/810333> (non-peer-reviewed)
4. Immunomodulatory and Metabolic Changes after Gnetin-C Supplementation in Humans. Nakagami Y, Suzuki S, Espinoza JL, Vu Quang L, Enomoto M, Takasugi S, Nakamura A, Nakayama T, Tani H, Hanamura I, Takami A. *Nutrients* **11(6)** *2019*
5. Muramatsu H, Sumitomo M, Morinaga S, Kajikawa K, Kobayashi I, Nishikawa G, Kato Y, Watanabe M, Zennami K, Kanao K, Nakamura K, Suzuki S, Yoshikawa K. Targeting lactate dehydrogenase-A promotes docetaxel-induced cytotoxicity predominantly in castration-resistant prostate cancer cells. *Oncology reports* **42(1)** 224-230 *2019*
6. Asai N, Kubo A, Suzuki S, Murotani K, Numanami H, Yoshikawa K, Ueda R, Yamaguchi E. CCR4 Expression in Tumor-Infiltrating Regulatory T Cells in Patients with Squamous Cell Carcinoma of the Lung: A Prognostic Factor for Relapse and Survival. *Cancer investigation* **37(3)** 163-173 *2019*
7. Yamazaki, T., Inui, M., Hiemori, K., Tomono, S., Itoh, M., Ichimonji, I., Nakashima, A., Takagi, H., Biswas, M., Izawa, K., Kitaura, J., Imai, T., Sugiura, N., Tateno, H., Akashi-Takamura, S., **2019**, Receptor-destroying enzyme (RDE) from *Vibrio cholerae* modulates IgE activity and reduces the initiation of anaphylaxis. *J Biol Chem* **294**, 6659-6669.
8. Iwasaki K, Kitahata N, Miwa Y, Uchida K, Matsuoka Y, Horimi K, Kobayashi T. Suppressive Effect of Everolimus on IL-2, IL-10, IL-21, and IFN $\gamma$  Levels: Implications for the Successful Minimization of Calcineurin Inhibitor Use in Transplantation. *Ther*

Drug Monit. 2019

9. Okada M, Watarai Y, Iwasaki K, Futamura K, Yamamoto T, Hiramitsu T, Tsujita M, Goto N, Narumi S, Takeda A, Kobayashi T. Lower incidence of de novo donor-specific antibodies against HLA-DR in ABO-incompatible renal transplantation. *Hum Immunol.* 2019
10. Wahiduzzaman M, Ota A, Karnan S, Hanamura I, Mizuno S, Kanasugi J, Rahman ML, Hyodo T, Konishi H, Tsuzuki S, Takami A, Hosokawa Y. Novel combined Ato-C treatment synergistically suppresses proliferation of Bcr-Abl-positive leukemic cells in vitro and in vivo. *Cancer Lett.* 2018 Oct 1;433:117-130.
11. Kitamoto K, Miura Y, Karnan S, Ota A, Konishi H, Hosokawa Y, Sato K. Inhibition of NADPH oxidase 2 induces apoptosis in osteosarcoma: The role of reactive oxygen species in cell proliferation. *Oncol Lett.* 2018 May;15(5):7955-7962.
12. Masaki A, Ishida T, Suzuki S, Ito A, Narita T, Kinoshita S, Ri M, Kusumoto S, Komatsu H, Inagaki H, Ueda R, Iida S. Human T-cell lymphotropic/leukemia virus type 1 (HTLV-1) Tax-specific T-cell exhaustion in HTLV-1-infected individuals. *Cancer science* 109(8) 2383-2390 2018
13. Yamazaki, T., Nagashima, M., Ninomiya, D., Ainai, A., Fujimoto, A., Ichimonji, I., Takagi, H., Morita, N., Murotani, K., Hasegawa, H., Chiba, J., Akashi-Takamura, S., 2018, Neutralizing Antibodies Induced by Gene-Based Hydrodynamic Injection Have a Therapeutic Effect in Lethal Influenza Infection. *Front Immunol* 9, 47.
14. Iwasaki K, Kitahata N, Hiramitsu T, Yamamoto T, Noda T, Okada M, Narumi S, Watarai Y, Miwa Y, Uchida K, Matsuoka Y, Horimi K, Kobayashi T. Increased CD40L+PD-1+ follicular helper T cells (Tfh) as a biomarker for predicting calcineurin inhibitor sensitivity against Tfh-mediated B-cell activation/antibody production after kidney transplantation. *Int Immunol.* 2018 Jul 24;30(8):345-355.
15. Yamamoto T, Iwasaki K, Murotani K, Takeda A, Futamura K, Okada M, Tsujita M, Hiramitsu T, Goto N, Narumi S, Watarai Y, Morozumi K, Uchida K, Kobayashi T. Peripheral blood immune response-related gene analysis for evaluating the potential risk of chronic antibody-mediated rejection. *Hum Immunol.* 2018 Jun;79(6):432-438.
16. Yamaji M, Ota A, Wahiduzzaman M, Karnan S, Hyodo T, Konishi H, Tsuzuki S, Hosokawa Y, Haniuda M. Novel ATP-competitive Akt inhibitor afuresertib suppresses the proliferation of malignant pleural mesothelioma cells. *Cancer Med*, 2017, in press.
17. Ota A, Nakao H, Sawada Y, Karnan S, Wahiduzzaman M, Inoue T, Kobayashi Y, Yamamoto T, Ishii N, Ohashi T, Nakade Y, Sato K, Itoh K, Konishi H, Hosokawa Y, Yoneda M. Delta40p53 suppresses tumor cell proliferation and induces cellular senescence in hepatocellular carcinoma cells. *J Cell Sci.* 130: 614-625, 2017.

18. Iijima J., Kobayashi S., Kitazume S., Kizuka Y., Fujinawa R., Korekane H., Shibata T., Saitoh S.I., Akashi-Takamura S., Miyake K., Miyoshi E., Taniguchi N.: Core fucose is critical for CD14-dependent Toll-like receptor4 signaling. *Glycobiology* **2017** in press
19. Okamoto N, Mizote K, Honda H, Saeki A, Watanabe Y, Yamaguchi-Miyamoto T, Fukui R, Tanimura N, Motoi Y, Akashi-Takamura S, Kato, T. Fujishita, S. Kimura, T. Ohto, U. Shimizu, T. Hirokawa, T. Miyake, K. Fukase, K. Fujimoto, Y.Nagai, Y. Takatsu, K.: Funiculosin variants and phosphorylated derivatives promote innate immune responses via the Toll-like receptor 4/myeloid differentiation factor-2 complex. *J Biol Chem* **2017**.in press.
20. Morita N, Yamazaki T, Murakami Y, Fukui R, Yamai I, Ichimonji I, Nakashima A, Nagaoka F, Takagi H, Miyake K, Akashi-Takamura S.(Corresponding author): C4b-binding protein negatively regulates the TLR4/MD-2 response but not the TLR3 response. *FEBS Lett* **591** :1743-1741 **2017**
21. Morita N, Yamai I, Takahashi K, Kusumoto Y, Shibata T, Kobayashi T, Nonaka MI, Ichimonji I, Takagi H, Miyake K, Akashi-Takamura S.(Corresponding author) C4b binding protein negatively regulates TLR1/2 response. *Innate Immun* **23**(1):11-19, **2017**.
22. Okada M, Watarai Y, Iwasaki K, Murotani K, Futamura K, Yamamoto T, Hiramitsu T, Tsujita M, Goto N, Narumi S, Takeda A, Morozumi K, Uchida K, Kobayashi T. Favorable results in ABO-incompatible renal transplantation without B cell-targeted therapy: Advantages and disadvantages of rituximab pretreatment. *Clin Transplant*. **2017**
23. Iwasaki K, Miwa Y, Uchida K, Kodera Y, Kobayashi T. Negative regulation of HLA-DR expression on endothelial cells by anti-blood group A/B antibody ligation and mTOR inhibition. *Transpl Immunol*. **2017**
24. Iwasaki K, Yamamoto T, Inanaga Y, Hiramitsu T, Miwa Y, Murotani K, Narumi S, Watarai Y, Katayama A, Uchida K, Kobayashi T. MiR-142-5p and miR-486-5p as biomarkers for early detection of chronic antibody-mediated rejection in kidney transplantation. *Biomarkers*. **2017**
25. Mayako Nishio-Nagai, Susumu Suzuki, Kazuhiro Yoshikawa, Ryuzo Ueda, Yoshiaki Kazaoka Adoptive immunotherapy combined with FP treatment for head and neck cancer: an in vitro study. *Int J Oncol*. **2017**, in press
26. Karnan S, Ota A, Konishi Y, Wahiduzzaman M, Hosokawa Y, and Konishi H. Improved methods of AAV-mediated gene targeting for human cell lines using ribosome-skipping 2A peptide. *Nucleic Acids Res*, **44**: e54, **2016**.
27. Ito K, Ota A, Ono T, Nakaoka T, Wahiduzzaman Md, Karnan S, Konishi H, Furuhashi A,

- Hayashi T, Yamada Y, Hosokawa Y, Kazaoka Y. Inhibition of Nox1 induces apoptosis by attenuating the AKT signaling pathway in oral squamous cell carcinoma cell lines. *Oncol Rep.* 36: 2991-2998, **2016**.
28. Thomas Jennings R, Odkhuu E, Nakashima A, Morita N, Kobayashi T, Yamai I, Tanaka M, Suganami T, Haga S, Ozaki M, Watanabe Y, Nagai Y, Takatsu K, Kikuchi-Ueda T, Ichimonji I, Ogawa Y, Takagi H, Yamazaki T, Miyake K, Akashi-Takamura S. (Corresponding author) Inflammatory responses increase secretion of MD-1 protein. *Int Immunol.* Oct;28 (10) :503-512. **2016**
29. Marlini M, Mabuchi A, Mallard BL, Hairulhisyam N, Akashi-Takamura S, Harper JL, Wheatley AM: Delayed liver regeneration in C3H/HeJ mice: possible involvement of haemodynamic and structural changes in the hepatic microcirculation. *Exp Physiol* **2016**, 101(12):1492-1505.
30. Deguchi A, Tomita T, Ohto U, Takemura K, Kitao A, Akashi-Takamura S, Miyake K, Maru Y: Eritoran inhibits S100A8-mediated TLR4/MD-2 activation and tumor growth by changing the immune microenvironment. *Oncogene* **2016**, 35(11):1445-1456.
31. Hayashi H, Mamun AA, Sakima M, Sato M. Activator of G-protein signaling 8 is involved in VEGF-mediated signal processing in angiogenesis. *J Cell Sci* 129: 1210-1222, **2016**
32. Mamun AA, Hayashi H, Sakima M, Sato M. Adenosine triphosphate is a critical determinant for VEGFR signal during hypoxia. *Am J Physiol - Cell Physiol* 311(6): C985-C995, **2016**
33. Hiramitsu T, Okada M, Futamura K, Yamamoto T, Tsujita M, Goto N, Narumi S, Watarai Y, Takeda A, Iwasaki K, Uchida K, Kobayashi T. 5-year follow-up of a randomized clinical study comparing everolimus plus reduced-dose cyclosporine with mycophenolate mofetil plus standard-dose cyclosporine in de novo kidney transplantation: Retrospective single center assessment. *Int Immunopharmacol.* **2016**
34. Kushihara H, Kuzuya T, Miwa Y, Iwasaki K, Watarai Y, Uchida K, Yamada K, Kobayashi T. Changes in ABCB1 mRNA Expression in Peripheral Blood Cells before and after Renal Transplantation. *Biol Pharm Bull.* **2016**
35. Suzuki S, Ishida T, Yoshikawa K and Ueda R. Current status of immunotherapy. *Jpn J Clin Oncol*, **2016** Mar;46(3):191-203.
36. Miwa Y, Yazaki S, Iwamoto M, Suzuki S, Iwasaki K, Haneda M, Yamamoto K, Maruyama S, Onishi A, Kobayashi T. Functional difference between membrane-bound and soluble human thrombomodulin. *Transplantation.* **2015**
37. Kurose K, Ohue Y, Wada H, Iida S, Ishida T, Kojima T, Doi T, Suzuki S, Isobe M, Funakoshi T, Kakimi K, Nishikawa H, Udon H, Oka M, Ueda R, Nakayama E. Phase Ia

- Study of FoxP3+ CD4 Treg Depletion by Infusion of a Humanized Anti-CCR4 Antibody, KW-0761, in Cancer Patients. *Clin Cancer Res.* **2015** Oct 1;21(19):4327-36.
- 38. Mizuno S, Hanamura I, Ota A, Karnan S, Narita T, Ri M, Mizutani M, Goto M, Gotou M, Tsunekawa N, Shikami M, Iida S, Hosokawa Y, Miwa H, Ueda R, Nitta M, Takami A. Overexpression of salivary-type amylase reduces the sensitivity to bortezomib in multiple myeloma cells. *Int J Hematol.* 102: 569-78, **2015**.
  - 39. Tanaka M, Miura Y, Numanami H, Karnan S, Ota A, Konishi H, Hosokawa Y, Hanyuda M. Inhibition of NADPH oxidase 4 induces apoptosis in malignant mesothelioma: Role of reactive oxygen species. *Oncol Rep.* **2015**, 34:1726-32.
  - 40. Ono T, Ota A, Ito K, Nakaoka T, Karnan S, Konishi H, Furuhashi A, Hayashi T, Yamada Y, Hosokawa Y, Kazaoka Y. Plumbagin suppresses tumor cell growth in oral squamous cell carcinoma cell lines. *Oral diseases.* 21: 501-511, **2015**.
  - 41. Hossain E, Ota A, Karnan S, Takahashi M, Mannan SB, Konishi H, Hosokawa Y. Lipopolysaccharide augments the uptake of oxidized LDL by up-regulating lectin-like oxidized LDL receptor-1 in macrophages. *Mol Cell Biochem.* 400: 29-40, **2015**.
  - 42. Suzuki S, Ishida T, Yoshikawa K, Ueda R. Progress in clinical use of CCR4 antibody for regulatory T cell suppression. *Inflammation and Immunity in Cancer.* Springer, 207-227, **2015**

## 共焦点レーザー走査型顕微鏡 (LMS510, 710)

### 論文

1. Komatsu K, Masubuchi S. Mouse oocytes connect with granulosa cells by fusing with cell membranes and form a large complex during follicle development. *Biol Reprod.* 2018 Sep 1;99(3):527-535. doi: 10.1093/biolre/ioy072.
2. Yuichi Riku, Hirohisa Watanabe, Mari Yoshida, Maya Mimuro, Yasushi Iwasaki, Michihito Masuda, Shinsuke Ishigaki, Masahisa Katsuno, and Gen Sobue, Pathologic Involvement of Glutamatergic Striatal Inputs From the Cortices in TAR DNA-Binding Protein 43 kDa-Related Frontotemporal Lobar Degeneration and Amyotrophic Lateral Sclerosis *J Neuropathol Exp Neurol* Vol. 76, No. 9, September 2017, pp. 759–768
3. Hayashi H, Mamun AA, Sakima M, Sato M. Activator of G-protein signaling 8 is involved in VEGF-mediated signal processing in angiogenesis. *J Cell Sci* 129: 1210-1222, 2016
4. Mamun AA, Hayashi H, Sakima M, Sato M. Adenosine triphosphate is a critical determinant for VEGFR signal during hypoxia. *Am J Physiol - Cell Physiol* 311(6): C985-C995, 2016
5. Riku M, Inaguma S, Ito H, Tsunoda T, Ikeda H, Kasai K. Down-regulation of the zinc-finger homeobox protein TSHZ2 releases GLI1 from the nuclear repressor complex to restore its transcriptional activity during mammary tumorigenesis. *Oncotarget.* 2016 Feb 2;7(5):5690-701..
6. Inaguma S1, Kasai K, Ikeda H. GLI1 facilitates the migration and invasion of pancreatic cancer cells through MUC5AC-mediated attenuation of E-cadherin. *Oncogene.* 2011 Feb 10;30(6):714-23.
7. 伊藤 秀明 膵臓癌進展におけるSCL/TAL1 interrupting locus(STIL)の機能解析-細胞運動性制御を標的とする治療戦略開発のための基盤的研究- 膵臓研究財団 第22回研究報告書, 2015, Dec, 159-164

## LC-MS (LTQ Velos)

### 論文

1. Okada S, Yamaguchi N. Possible role of adrenoceptors in the hypothalamic paraventricular nucleus in corticotropin-releasing factor-induced sympatho-adrenomedullary outflow in rats. *Autonomic Neuroscience: Basic and Clinical* **2017**: 203; 74-80
2. Yamaguchi N, Nakajima N, Okada S, Yuri K. Effects of aging on stress-related responses of serotonergic neurons in the dorsal raphe nucleus of male rats. *Neurobiol Stress*. **2016**: 3; 43-51
3. Li J, Kandatsu N, Feng GG, Huang L, Kinoshita H, Okada S, Fujiwara Y. Propofol reduces liver dysfunction caused by tumor necrosis factor- $\alpha$  production in Kupffer cells. *J Anesth*. **2016**. 30:420-6. doi: 10.1007/s00540-016-2145-x.
4. Ando K, Kondo F, Yamaguchi N, Tachi M, Fukayama M, Yoshikawa K, Gosho M, Fujiwara Y, Okada S. Centrally administered isoproterenol induces sympathetic outflow via brain prostaglandin E2-mediated mechanisms in rats. *Autonomic Neuroscience: Basic and Clinical* **2015**: 189; 1-7
5. Kondo F, Tachi M, Gosho M, Fukayama M, Yoshikawa K, Okada S. Changes in hypothalamic neurotransmitter and prostanoid levels in response to NMDA, CRF, and GLP-1 stimulation. *Anal Bioanal Chem*. **2015**: 407;5261-72

## RT-PCR (StepOnePlus)

### 論文

1. Hatano S, Nagai N, Sugiura N, Tsuchimoto J, Isogai Z, Kimata K, Ota A, Karnan S, Hosokawa Y, Watanabe H. Versican A-subdomain is required for its adequate function in dermal development. *Connect Tissue Res.* 10:1-13, **2017**.
2. Ota A, Nakao H, Sawada Y, Karnan S, Wahiduzzaman M, Inoue T, Kobayashi Y, Yamamoto T, Ishii N, Ohashi T, Nakade Y, Sato K, Itoh K, Konishi H, Hosokawa Y, Yoneda M. Delta40p53 suppresses tumor cell proliferation and induces cellular senescence in hepatocellular carcinoma cells. *J Cell Sci.* 130: 614-625, **2017**.
3. Iijima J., Kobayashi S., Kitazume S., Kizuka Y., Fujinawa R., Korekane H., Shibata T., Saitoh S.I., Akashi-Takamura S., Miyake K., Miyoshi E., Taniguchi N.: Core fucose is critical for CD14-dependent Toll-like receptor4 signaling. *Glycobiology* **2017** in press
4. Okamoto N, Mizote K, Honda H, Saeki A, Watanabe Y, Yamaguchi-Miyamoto T, Fukui R, Tanimura N, Motoi Y, Akashi-Takamura S, Kato, T. Fujishita, S. Kimura, T. Ohto, U. Shimizu, T. Hirokawa, T. Miyake, K. Fukase, K. Fujimoto, Y.Nagai, Y. Takatsu, K.: Funiculosin variants and phosphorylated derivatives promote innate immune responses via the Toll-like receptor 4/myeloid differentiation factor-2 complex. *J Biol Chem* **2017**.in press.
5. Morita N, Yamazaki T, Murakami Y, Fukui R, Yamai I, Ichimonji I, Nakashima A, Nagaoka F, Takagi H, Miyake K, Akashi-Takamura S.(Corresponding author): C4b-binding protein negatively regulates the TLR4/MD-2 response but not the TLR3 response. *FEBS Lett* 591 :1743-1741 **2017**
6. Morita N, Yamai I, Takahashi K, Kusumoto Y, Shibata T, Kobayashi T, Nonaka MI, Ichimonji I, Takagi H, Miyake K, Akashi-Takamura S.(Corresponding author) C4b binding protein negatively regulates TLR1/2 response. *Innate Immun* 23(1):11-19, **2017**.
7. Uchino K, Mizuno S, Sato-Otsubo A, Nannya Y, Mizutani M, Horio T, et al. Toll-like receptor genetic variations in bone marrow transplantation. *Oncotarget*. **2017**;8(28):45670-86.
8. Horio T, Mizuno S, Uchino K, Mizutani M, Hanamura I, Espinoza JL, et al. The recipient CCR5 variation predicts survival outcomes after bone marrow transplantation. *Transpl Immunol.* **2017**.
9. Ito K, Ota A, Ono T, Nakaoka T, Wahiduzzaman Md, Karnan S, Konishi H, Furuhashi A, Hayashi T, Yamada Y, Hosokawa Y, Kazaoka Y. Inhibition of Nox1 induces apoptosis by

attenuating the AKT signaling pathway in oral squamous cell carcinoma cell lines. *Oncol Rep.* 36: 2991-2998, **2016**.

10. Thomas Jennings R, Odkhuu E, Nakashima A, Morita N, Kobayashi T, Yamai I, Tanaka M, Suganami T, Haga S, Ozaki M, Watanabe Y, Nagai Y, Takatsu K, Kikuchi-Ueda T, Ichimonji I, Ogawa Y, Takagi H, Yamazaki T, Miyake K, Akashi-Takamura S. .(Corresponding author) Inflammatory responses increase secretion of MD-1 protein. *Int Immunol.* Oct;28 (10) :503-512. **2016**.
11. Marlini M, Mabuchi A, Mallard BL, Hairulhisyam N, Akashi-Takamura S, Harper JL, Wheatley AM: Delayed liver regeneration in C3H/HeJ mice: possible involvement of haemodynamic and structural changes in the hepatic microcirculation. *Exp Physiol* **2016**, 101(12):1492-1505.
12. Deguchi A, Tomita T, Ohto U, Takemura K, Kitao A, Akashi-Takamura S, Miyake K, Maru Y: Eritoran inhibits S100A8-mediated TLR4/MD-2 activation and tumor growth by changing the immune microenvironment. *Oncogene* **2016**, 35(11):1445-1456.
13. Uchino K, Mizuno S, Mizutani M, Horio T, Hanamura I, Espinoza JL, et al. Toll-like receptor 1 variation increases the risk of transplant-related mortality in hematologic malignancies. *Transpl Immunol.* **2016**.
14. Tanaka M, Miura Y, Numanami H, Karnan S, Ota A, Konishi H, Hosokawa Y, Hanyuda M. Inhibition of NADPH oxidase 4 induces apoptosis in malignant mesothelioma: Role of reactive oxygen species. *Oncol Rep.* **2015**, 34:1726-32.
15. Mizuno S, Hanamura I, Ota A, Karnan S, Narita T, Ri M, Mizutani M, Goto M, Gotou M, Tsunekawa N, Shikami M, Iida S, Hosokawa Y, Miwa H, Ueda R, Nitta M, Takami A. Overexpression of salivary-type amylase reduces the sensitivity to bortezomib in multiple myeloma cells. *Int J Hematol*, 102: 569-78, **2015**.
16. Asai A, Karnan S, Ota A, Takahashi M, Damdindorj L, Konishi Y, Hossain E, Konishi H, Nagata A, Yokoo K, Hosokawa Y. High-resolution 400K oligonucleotide array comparative genomic hybridization analysis of neurofibromatosis type 1-associated cutaneous neurofibromas. *Gene*. 55: 220-226, **2015**.
17. Hossain E, Ota A, Karnan S, Takahashi M, Mannan SB, Konishi H, Hosokawa Y. Lipopolysaccharide augments the uptake of oxidized LDL by up-regulating lectin-like oxidized LDL receptor-1 in macrophages. *Mol Cell Biochem*. 400: 29-40, **2015**.